

№

№

2017 №



□

● № Ö 2018 58 10

● № № Ö №

№

0 №

(0) №

2017 6

() № §

(9) № №

№

() №

0, 2018 58 10 9 06

0 2 2686 (10A

() №

55/35 :Ahp655/35

55/8 2018 58 10

8 2018 58 10

:Ahp55/35/ ,

/60, !

9:15-9:25, 9:30-11:30

13:00-15:0065/ , /60

, 9:15-15:00

() №

Đ:

tH-(6

t65, /9:Ahp:2 (655/

419

(3)

	A0	/62
		A 66
M0/A		
1	2017 :	
2	2017 -	
3	2017 1	
4	2018 1	
5	2017 6	
6	9 2018 20206	
7	2017 fA	
8	56 2018 A, A	
9	2017	
10	6 (t(tñ A, A	
11	t (tñ A, A	
12	6 (9 (tñA, A	
13	6 (!! 9 (tñA, A	
14	(180(h, A	

15.00	01e	
15.01	01«	
	01	

20.02	Ɔ	
20.03	Ɔ	
21.00	Ɔ	Ɔ » Ɔ 3Ɔ
21.01	Ɔ	
21.02	Ɔ	
21.03	Ɔ	

Ɔ

66

2017)0: 6

1 Ɔ

: A4(

!A:A

:, 2018 4 8 12, -A h:A

hp51

<http://www.sse.com.cn>

2 Ɔ

10 11 12 13

3 Ɔ.

5 6 7 8 9 10 11 12

13

4 Ɔ

, 660

5 Ɔ

9 Ɔ

(0) Ɔ

Ɔ

Ɔ

vote.sseinfo.com/v65/ /,

t65M6-A65/ 51

() Ɔ

Ɔ

9901N

600A

(9) 1

1

A

() 1

1

() 1

() 1

B

2

1

(0) 1

1

1

1

6-2	6/.1	6/10	6s, A
6	600697	!	2018/5/3

() 1

(9) 1

() 1

1

(0) , A616/-A6, A

561s-A6/6,

A56616/s:

A65, -A626-- , A

() , A 2018 5 8 7 : 9 30-11 30 6

13:30-16:30 6

(9) , A2

2686 (46

Ã

(0)

63p2

2686 (46

63Ÿ0

e 0431 87666905 87666871

- 0431 87666813

5 130012

() A6i86

(!

6-9(

:

2018 4 8 12

t 1s

t 230/f9n:)0:-,/

7 A06, :A

R 10

5

6-9(

14	000e R			
15.00	00e			
15.01	00«			
15.02	00			
15.03	00			
15.04	00			
15.05	00			
15.06	00			
15.07	00			
15.08	00			
15.09	2p			
15.10	Â			
15.11	Û			
15.12	00			
16	000e 00e			
17	00			
18	00			

¿	300	Â
19.00	00	
19.01	04	
19.02	04	
19.03	04	
19.04	04	
19.05	04	
20.00	00	
20.01	04	
20.02	04	
20.03	04	
21.00	00	
21.01	04	

21.02	9	
21.03	10	

1-1

1

-A

-A

8

7

)3sA9

0 s7/,

9s98!o

R 20 2004

000000

000000

00

c69n/A461906

9A49:--(1, 6

19:2(100 66/69:

10 :9

9 126):9nA49

1000 6, 9n/

96A4, 9n/6i8

!o/9n/509

9485, 9/5) 0A63

0A1/

/

:2(0630/f) :-

i9 9: 5:99

69)0:

2)0

:99

39-

2-99

3M/

,

30/A		
4.00	9n:, A	/
4.01	hh	
4.02	hh	
4.03	:hh	
4.06	hh	

5.00	200	Å
5.01	0	
5.02	0	
5.03	0	
6.00	200	Å
6.01	0	
6.02	0	
6.03	0	

~~55000~~

100 6630

/fA 4.009n:, A9 500 /

, sA 5.009n) 0:, A9 200 /,

sA 6.009n:, A9 200 /, s

t65 500 /)A 4.00 98!o

500 /50994

8659

p/

	A0	//			
		0		9	
4.00	9n:, A	-	-	-	-
4.01	hh	500	100	100	
4.02	hh	0	100	50	
4.03	:hh	0	100	200	
4.06	hh	0	100	50	